

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1.(ORIGINAL) A vaporization method, wherein a raw material solution is brought into contact with a heated carrier gas and carried to a subsequent step.

2.(ORIGINAL) The vaporization method according to claim 1, wherein a temperature of the heated carrier gas is 100 to 300°C.

3.(ORIGINAL) The vaporization method according to claim 2, wherein a temperature of the heated carrier gas is 200 to 250°C.

4.(CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 3~~ claim 1, wherein the raw material solution is obtained by solving an organic metal compound in a solvent.

5.(CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 4~~ claim 1, wherein the carrier gas is an inert gas.

6. (CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 4~~ claim 1, wherein the carrier gas is a gas which contains an oxidizing gas in an inert gas.

7. (CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 6~~ claim 1, wherein a speed of the carrier gas is set to a subsonic speed to a sonic speed to introduce the raw material solution.

8. (CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 7~~ claim 1, wherein the raw material solution is introduced into a passage of the carrier gas through a hole having a diameter of 0.05 mm to 0.5 mm.

9. (CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 8~~ claim 1, wherein the solvent of the raw material solution is contained in the carrier gas before introducing the raw material solution.

10. (CURRENTLY AMENDED) The vaporization method according to ~~one of claims 1 to 9~~ claim 1, wherein a raw material concentration in the raw material solution is 0.2 mol/L or below.

11.(ORIGINAL) A vaporizer having: a vaporization chamber; a carrier gas passage communicating with the vaporization chamber; a raw material solution lead-in port through which the raw material solution is led into the passage; and means for heating the carrier gas.